INDEX TO SCIENTIFIC NAMES
HERPETOLOGICA
Volume 37 December 1981

Acacia 105
Achaeta domestica 64
Adocus 77, 80, 84
Afrixalus 168
  brachycnemis 166–168
  fornasinii 167
Agkistrodon 264, 265
  contortrix 264–268
  piscivorus 225
Agomphus 76, 78, 80
Ambrosia dumosa 131
Ambystoma 234
  maculatum 154, 172
  opacum 234–237
  tigrinum 142, 143, 147–154, 158, 159
Ameiva 248
  aquilina 105
  quadrilineata 138
Andropogon sp. 41
Aneides flavipunctatus 25, 26
Anolis 53, 54, 56, 61, 104, 105, 107
  aeneus 105, 107
  carolinensis 55–57, 255
  lineatopis 55
  richardi 105
  roquet 55
Atriplex spp. 131
Avicularia sp. 128
Bacterium sauromali 177
Baptemys 75–78, 80, 82, 84
  tricarinata 79, 80
  wyomingensis 80
Basilemys 78, 80
Batagur 189, 192, 193
  baska 131, 189, 190, 192, 193
Batrachoseps 16, 17, 26, 27, 109
  aridus 16, 27
  campi 16–18, 20–22, 24–27
  stebbinsi 27
  wrighti 16, 17, 24, 26, 27
Blarina brevicauda 234–236
Bolitoglossa 109, 114
Bubulcus ibis 105
Bufo 31, 63, 96–101, 103, 168, 228, 231
  americanus 171, 172, 175, 228–233
  boreas 63
  brauni 99–101, 104
  bufo 96, 232
  carens 96–100, 104
  danielae 99–104
  fenoulheti 100, 104
  gariepensis 100, 104
  garmani 99–104, 167–169
  gutturalis 99–102, 104, 167, 169, 170
  kerinyagae 99–102, 104
  latifrons 99–101, 104
  loennbergi 100, 104
  maculatus 97–104
  marinus 97–99
  mauritanicus 96–101, 104
  perreti 99–101, 104
  pusillus 99–102, 104
  quercicus 231
  rangeri 96–104
  regularis 97–104
  superciliaris 99–101, 104
  viridis 96
  xeros 99–101, 104
Buteo lineatus 224
  platypterus 105
Cacosternum boettgeri 167–170
Callagur 181–184, 188–193
  borneoensis 181
Callisaurus draconoides 131
Callopsis 75, 257
Caretta 76, 84, 257
Carya sp. 41
Chelodina 75, 83, 209
  longicollis 189
Chelonia 93, 257
  mydas 92, 93, 94, 190
Chelus 209
Chelydra 210
Chiropterotriton 109–111, 113–115
  α 109, 110, 113–115
  arboreus 110
  barbouri 110
  β 109, 110, 113–115
  bromeliacia 109–115
  chiropterus 110, 113–115
  chondrostega 110, 113–115
  cuchumatanus 110, 113–115
  dimidiatus 110, 113–115
  lavae 110
  magnipes 110
  megarhinus 110
  mosauri 110
  multidentatus 110–115
  nasalis 110, 113–115
  picadoi 109, 110, 115
  priscus 110, 113–115
  rabbi 110, 113–115
  richardi 110
  veraepacis 110, 113–115
  xolocalcae 110
Chondrohierax uncinatus 107

INDEX TO SCIENTIFIC NAMES
HERPETOLOGICA
Volume 37 December 1981

Acacia 105
Achaeta domestica 64
Adocus 77, 80, 84
Afrixalus 168
  brachycnemis 166–168
  fornasinii 167
Agkistrodon 264, 265
  contortrix 264–268
  piscivorus 225
Agomphus 76, 78, 80
Ambrosia dumosa 131
Ambystoma 234
  maculatum 154, 172
  opacum 234–237
  tigrinum 142, 143, 147–154, 158, 159
Ameiva 248
  aquilina 105
  quadrilineata 138
Andropogon sp. 41
Aneides flavipunctatus 25, 26
Anolis 53, 54, 56, 61, 104, 105, 107
  aeneus 105, 107
  carolinensis 55–57, 255
  lineatopis 55
  richardi 105
  roquet 55
Atriplex spp. 131
Avicularia sp. 128
Bacterium sauromali 177
Baptemys 75–78, 80, 82, 84
  tricarinata 79, 80
  wyomingensis 80
Basilemys 78, 80
Batagur 189, 192, 193
  baska 131, 189, 190, 192, 193
Batrachoseps 16, 17, 26, 27, 109
  aridus 16, 27
  campi 16–18, 20–22, 24–27
  stebbinsi 27
  wrighti 16, 17, 24, 26, 27
Blarina brevicauda 234–236
Bolitoglossa 109, 114
Bubulcus ibis 105
Bufo 31, 63, 96–101, 103, 168, 228, 231
  americanus 171, 172, 175, 228–233
  boreas 63
  brauni 99–101, 104
  bufo 96, 232
  carens 96–100, 104
  danielae 99–104
  fenoulheti 100, 104
  gariepensis 100, 104
  garmani 99–104, 167–169
  gutturalis 99–102, 104, 167, 169, 170
  kerinyagae 99–102, 104
  latifrons 99–101, 104
  loennbergi 100, 104
  maculatus 97–104
  marinus 97–99
  mauritanicus 96–101, 104
  perreti 99–101, 104
  pusillus 99–102, 104
  quercicus 231
  rangeri 96–104
  regularis 97–104
  superciliaris 99–101, 104
  viridis 96
  xeros 99–101, 104
Buteo lineatus 224
  platypterus 105
Cacosternum boettgeri 167–170
Callagur 181–184, 188–193
  borneoensis 181
Callisaurus draconoides 131
Callopsis 75, 257
Caretta 76, 84, 257
Carya sp. 41
Chelodina 75, 83, 209
  longicollis 189
Chelonia 93, 257
  mydas 92, 93, 94, 190
Chelus 209
Chelydra 210
Chiropterotriton 109–111, 113–115
  α 109, 110, 113–115
  arboreus 110
  barbouri 110
  β 109, 110, 113–115
  bromeliacia 109–115
  chiropterus 110, 113–115
  chondrostega 110, 113–115
  cuchumatanus 110, 113–115
  dimidiatus 110, 113–115
  lavae 110
  magnipes 110
  megarhinus 110
  mosauri 110
  multidentatus 110–115
  nasalis 110, 113–115
  picadoi 109, 110, 115
  priscus 110, 113–115
  rabbi 110, 113–115
  richardi 110
  veraepacis 110, 113–115
  xolocalcae 110
Chondrohierax uncinatus 107

Chrysemys 257
picta 33, 38
scripta 33
Claudius 74, 78, 81–84
angustatus 75
Clemmys guttata 190
insculpta 190
Cnemidophorus 244, 245, 247, 248
exsanguis 248
gularis 245, 246
guttatus 138
hyperythrus 248
inornatus 245, 246
neomexicanus 248
scalaris 245, 246
sexlineatus 138, 245–247
tessellatus 248
tigris 130, 138, 244–248
uniparens 248
velox 248
Coccyzus minor 104, 105
Coereba flaveola 107
Coleonyx 254
Coluber constrictor 221, 222, 268
Crataegus sp. 41
Crotalus 237
cerastes 265
enyo 237–241
mitchelli 265
viridis 237–241, 265, 268
Crotophagus ani 104, 106
Crotaphytus bicinctores 131
Cuora 206, 208
flavomarginata 190
Dactylis glomerata 229
Dalea spp. 131
Dasypeltis 121
Dermatemys 75, 77, 78, 80, 83, 84, 92–95
mawii 75, 92–95
Diadophis 225
punctatus 222, 223, 225
Dinochelys 83
Diplodactylus 86–88, 90, 91
alboguttatus 90
byrnei 90
conspicillatus 86–91
damaeus 90
galeatus 90
maini 90
mitchelli 90
pulcher 90
savagei 90
squarrosus 90
steindachneri 86–91
stenodactylus 86–91
tesellatus 90
vittatus 86–91
Dipsosaurus dorsalis 195
Dytiscus verticalis 172, 174, 175
Echis colorata 178
froenata 178
Echmatemys 75, 76
Elaenia flavogaster 107
Elaphe guttata 223, 268
obsoleta 268
Eleutherodactylus 125
bransfordii 159
coqui 125–128, 180
Elseya 209
Emydoidea 206
Emydura 76, 209
Emys 206
cataspila 70
orbicularis 190
Eumeces inexpectatus 221, 222
sp. 222
Eupatorium 41
Eurycea 151
bislineata 142, 152–154
Falco sparverius 224
Farancia abacura 221, 223, 224
erytrogramma 45
spp. 225
Ferganemys 77
Florida caerulea 105
Gambelia 134
silus 130, 137, 138, 140
wislizenii 131, 134, 138, 139
Geochelone elongata 190, 191
gigantea 50
travancorica 190, 191
yniphora 74
Geoemyda 70
Glyptops 76, 83
Gnaphaleum sp. 41
Gonatodes 250, 254, 255
vittatus 250–255
Gopherus 46, 48
flavomarginatus 48
polyphemus 46–52
Hadrianus 76
corsoni 79
Haematoxylum 105
Haplopappus spp. 131
Hemidactylus 254
Hesperotestudo osborniana 79
Heterodon simus 224
Homo sapiens 221
Hoplochelys 77, 78, 80–82
Hydromantes 109
Hyla cinerea 31
regilla 159
Hyperolius 29–32, 168
argus 29–31, 167–170
marmoratus 29–31, 167–170
pusillus 29–31, 167–170
tuberilinguis 29–31, 167–170
Idiochelys 76
Iguana iguana 105
Kachuga kachuga 189, 190
trivittata 189–191
Kassina maculata 167
Kinosternon 75, 78, 81–83
flavescens 75

hirtipes 75
leucostomum 83
scorpioides 83
Lacerta vivipara 11
Lampropeltis triangulum 224
Lanius ludovicianus 224
Lankesterella 177
Larrea tridentata 131
Lepidochelys 84
Leptoloma sp. 41
Leptomicrurus 213
Lespedeza sp. 41
Liquidambar styraciflua 41
Lucasius 254
Lycium andersonii 131
Lygodactylus 254, 255
Manouria 75
emys 79
Micruroides 213
euryxanthus 224
Micrurus 213, 221, 224, 225
fulvius 213–225
Mimus gilvus 106
Molothrus bonariensis 107
Mongolemys 76, 77, 79
Morelia spilotes 268
Mus musculus 25
Myiarchus tyrannulus 106
validus 106
Myrica cerifera 41
Natrix fasciata 269
Necturus 197
maculosus 195–197
Neoseps reynoldsi 222
Nerodia 225
cyclopion 225
erythrogaster 225
fasciata 225, 269
rhombifera 225
spp. 225
new genus 75, 78, 81, 82
Notophthalmus viridescens 142, 143, 145–147, 149, 151–154, 172, 174, 175, 272
Oedipus 114
Oligoctenus ottleyi 128
Olios 125
Opheodrys aestivus 221, 223
Ophisaurus sp. 222
ventralis 221, 222
Opuntia dillenii 105
Pelomedusa 206, 209
galeata 206
subrufa 206
Pelusios 205–210
castaneus 206
gabonensis 206
niger 206, 209
sinuatus 206
subniger 206
williamsi 206, 207, 210
Phelsuma 254, 255
Phrynobatrachus 168
mababiensis 166–168
natalensis 167
Phrynomerus bifasciatus 167
Phrynosoma 130, 131, 134, 137–140, 199
cornutum 130
coronatum 130–132, 135–140
ditmarsi 139
douglassi 138, 139, 199–204
platyrhinos 130–135, 138–140
solare 139
Phrynus palmatus 128
Pinus elliottii 41
palustris 47
taeda 41
Planiplastron 76
Platemys 209
Platychelys 76
Platysternon megacephalum 190
Plesiochelys 76
Plethodon 17, 109, 116, 151
cinereus 27, 153
dorsalis 153
websteri 25
welleri 26
Podocnemis 206, 209
unifilis 190
Polychrus 53, 54, 56, 57, 59, 60, 62
acutirostris 53–61
femoralis 60
marmoratus 53, 57, 60
peruvianus 53, 54
Polytricum 41
Protochelydra 76
Prunus sp. 41
Pseudacris triseriata 156, 159
Pseudemys 257
decorata 190
decussata 190
scripta 190
terrapen 191
Pseudoeurycea 109–116
altamontana 110, 112–115
anitae 110
belli 109–115
brunnata 110–116
cephalica 109–115
cochranae 110, 112–114
conanti 110
expectata 110, 112–114
firscheini 110, 115
gadovii 109, 110, 112–115
galeanae 110, 115
goebeli 110, 112–114
juarezi 110, 112–115
leprosa 109–115
melanomolga 110, 112–114
mystax 110
nigromaculata 110, 112, 115
rex 109, 110, 112–114
robertsi 110, 112–114
scandens 110, 112, 113, 115
smithi 110–116

unguidentis 110, 112–114
werleri 110, 112, 113, 115
Ptychadena anchietae 167
mossambica 167
Quercus sp. 41
incana 47
laevis 47
margaretta 47
Quiscalus lugubris 104, 106
Rana 173
catesbeiana 224
esculenta 195–197
palustris 172
pipiens 1, 2, 6–8, 155, 156, 159
sylvatica 159, 172–175
Ranidella insignifera 159
pseudinsignifera 159
Rattus rattus 105
Regina 225
alleni 225
grahami 225
Rhadinaea 225
flavilata 225
Rheodytes 209
Rhineura floridana 222
Rhinoclemmys 70, 256–262
annulata 261
areolata 256, 258–263
funerea 256–263
nasuta 261
pulcherrima 256, 259–262
pulcherrima incisa 256–263
pulcherrima manni 256–263
pulcherrima pulcherrima 262
punctularia 256, 258–262
punctularia punctularia 257–261, 263
rubida 256, 258–262
rubida rubida 257–261, 263
Rhinophrynus 272
Rosasia 76
Rubus sp. 41
Sceloporus 11
aeneus 11, 13, 14
aeneus aeneus 11–14
aeneus bicanthalis 11–14
clarki 13
jarrovi 61
magister 131
occidentalis 7
undulatus 224
variabilis 11
Schismaderma 99, 100
carens 96–100, 104
Scincella laterale 222
Seminatrix pygaea 221, 223, 225
Serratia anolium 177
Sistrurus miliarius 224
Solidago sp. 41
Sphagnum 41
Staurotypus 73, 74, 78, 80–83, 94
triporcatus 75
Stenocereus sp. 105
Sternotherus 33, 78, 81–83, 161, 162, 165, 257
carinatus 82, 161–165
depressus 161–165
minor 161–165
minor minor 165
minor peltifer 165
odoratus 33, 35–39, 75, 161–165
Stilosoma extenuatum 223
Storeria dekayi 223, 225
occipitomaculata 223
Strophurus 86, 87, 90, 91
ciliaris 90, 91
elderi 86–91
michaelseni 86–91
spinigerus 90, 91
strophurus 86–91
taenicauda 90, 91
williamsi 90, 91
Suaeda fruticosa 130
Tantilla 40, 43
coronata 40–45, 223
relicta 223
rubra 44
Tanystropheus 178
Taricha rivularis 25, 27
Tenebrio mollitor 64
Terrapene 206
carolina 190, 191
ornata 190
Testudo scripta 70
Thamnophis 268
elegans 269
ordinoides 268
proximus 43
sauritus 43
sirtalis 268
Thomomys bottae 25
Tomopterna 168
cryptotis 167, 168
krugerensis 167, 168
Tretosternon 76, 83
Trinitichelys 76
Trionyx muticus 190
spiniferus 190
Triturus cristatus 154
Troglodytes aedon 107
Turdus nudigenis 106
Tyrannus dominicensis 106
Uta stansburiana 131
Vipera berus 265
Vireo altiloquus 107
Virginia 225
Xantusia vigilis 203
Xenochelys **n. sp.** 75, 78, 81, 82
Xenopus 1, 2, 7–9
laevis 1, 2, 4, 5, 6

TOPICAL INDEX
HERPETOLOGICA
Volume 37 December 1981

ACTIVITY, *Xenopus laevis* (metabolism) 1–10; *Tantilla coronata* (seasonal activity) 40–46; *Micrurus fulvius* (seasonal and diel surface activity) 213–228.

AGGRESSION, *Gonatodes vittatus* (social behavior) 250–256.

ALBUMIN, 18 spp. African *Bufo* (evolution) 96–104; *Pseudoeurycea, Chiropterotriton* (evolution) 109–117.

ALLOZYMES, *Batrachoseps campi* (high level of genic differentiation) 16–28; *Rhinoclemmys* spp. (biochemical systematics) 256–264.

ANTIPREDATOR, *Notophthalmus viridescens* (avoidance of skin secretions by diving beetles) 172–176; *Ambystoma opacum* (efficacy of skin secretions against repeated attacks by shrews) 234–237.

BEHAVIOR, 4 spp. *Hyperolius* (phonotaxis) 29–32; *Polychrus acutirostris* (display patterns, locomotion, feeding, copulation) 53–63; *Bufo boreas* (discrimination among prey odors) 63–68; *Phrynosoma platyrhinos, P. coronatum* (social behavior, displays, courtship, interspecific behavior) 130–141; 17 spp. African frogs (sound pressure levels) 166–171; *Necturus maculosus* (thermal selection) 195–198; *Phrynosoma douglassi* (thermoregulation after shielding parietal eye) 199–205; *Gonatodes vittatus* (courtship and aggression) 250–256.

CALL DISCRIMINATION, 4 spp. *Hyperolius* (mate recognition and location) 29–32.

CLOACA, 3 families salamanders (anatomy, glands) 142–155.

COLORATION, *Callagur borneoensis* (sexual and seasonal dichromatism) 181–194.

COURTSHIP, *Gonatodes vittatus* 250–256.

DEVELOPMENT, *Rana pipiens* (relationship of color and developmental rate) 155–160.

DIET, *Polychrus acutirostris* (arboreal insects and vegetation) 53–63; *Micrurus fulvius* (snakes and lizards) 213–228.

DIMORPHISM, *Tantilla coronata* (males with longer tails) 40–46; *Gopherus polyphemus* (sexual differences in shell variables) 46–52; *Polychrus acutirostris* (females longer than males) 53–63; *Micrurus fulvius* (females larger with shorter tails) 213–228.

DISTRIBUTION MAPS, *Batrachoseps campi* (California) 19.

EGGS, *Sceloporus aeneus* (retention) 11–15; *Tantilla coronata* (number) 45; *Polychrus acutirostris* (clutch size, egg size, water content) 53–63; *Micrurus fulvius* (clutch size and frequency) 213–228.

ELECTROPHORESIS, *Batrachoseps campi* (high level of genic differentiation) 16–28; *Sternotherus* spp. (genetic relationships) 161–165; *Rhinoclemmys* spp. (biochemical systematics) 256–264.

EVOLUTION, kinosternid, dermatemydid turtles (homology of plastral scutes) 73–85; 18 spp. African *Bufo* (albumin evolution) 96–104; *Pseudoeurycea, Chiropterotriton* (albumin evolution) 109–117; *Pelusios* (hypothetical scenario for development of plastral kinesis) 205–212.

EXERCISE, *Xenopus laevis* (metabolism) 1–10.

FEEDING, *Polychrus acutirostris* (foraging, diet) 53–63; *Bufo boreas* (prey discrimination by odor) 63–68; *Crotalus viridus, C. enyo* (relationship of food deprivation and tongue flicking) 237–243.

GENIC VARIATION, *Batrachoseps campi* (high level of differentiation) 16–28; *Sternotherus odoratus* (interspecific variation and relationships to other *Sternotherus*) 161–165.

GEOGRAPHIC LOCALITIES
- Africa, 17 spp. frogs 166–171.
- Alabama, *Sternotherus odoratus* 33–40.
- Brazil, *Polychrus acutirostris* 53–63.
- California, *Batrachoseps campi* 16–28.
- Colorado, *Phrynosoma douglassi* 199–205, *Rana pipiens* 155–160.
- Florida, *Micrurus fulvius* 213–228.
- Georgia, *Gopherus polyphemus* 46–52.
- Grenada, *Anolis* spp. 104–108.
- Illinois, *Bufo americanus* 228–233.
- Malaysia, *Callagur borneoensis* 181–194.
- Mexico, *Sceloporus aeneus* 11–15.
- Nevada, *Cnemidophorus tigris* 244–249.
- Oregon, *Batrachoseps campi* 16–29.
- Puerto Rico, *Eleutherodactylus coqui* 125–129.
- South Carolina, *Tantilla coronata* 40–46.
- Trinidad, *Gonatodes vittatus* 250–256.
- Zululand, 4 spp. *Hyperolius* 29–32.

GLANDS, *Diplodactylus* (caudal glands and subgeneric classification) 86–92; 3 families salamanders (cloacal glands) 142–155.

GLYCOGEN, *Xenopus laevis* (metabolism) 1–10.

HABITAT, *Tantilla coronata* (prefers xeric microhabitats) 40–46; *Polychrus acutirostris* 53–63.

HISTOLOGY, *Sternotherus odoratus* (testes) 33–40; 3 families salamanders (cloaca) 142–155; *Callagur borneoensis* (relationship between skin color change and testicular activity) 181–194.

KARYOLOGY, *Dermatemys mawii* (chromosome number and banding patterns) 92–95.

LACTATE, *Xenopus laevis* (metabolism) 1–10.
LEARNING, *Bufo boreas* (feeding experience affects prey preference) 63–68; *Notophthalmus viridescens* (diving beetles learn to avoid skin secretions of newt) 172–176.
LIFE HISTORY, *Tantilla coronata* (maturity, population structure, sex ratio) 40–46; *Gopherus polyphemus* (technique for sexing) 46–52; *Polychrus acutirostris* (maturity, population structure, reproductive strategy) 53–63; *Micrurus fulvius* (maturity, clutch sizes and frequency, growth) 213–228.
MARK-RECAPTURE, *Rana pipiens* (estimation of survivorship) 155–160.
MATING CALLS, 4 spp. *Hyperolius* (mate recognition and location) 29–32; 17 spp. African frogs (sound pressure levels) 166–171.
MORPHOLOGY, *Gopherus polyphemus* (shell morphology) 46–52; *Polychrus acutirostris* (adaptations for arboreality) 53–63; kinosternid, dermatemydid turtles (homology of plastral scutes) 73–85; *Diplodactylus* (caudal glands and postcloacal bones) 86–92; 3 families salamanders (comparative cloacal anatomy) 142–155; *Pelusios* (shell kinesis) 205–212; 7 spp. bisexual *Cnemidophorus* (postanal scutellation) 244–249.
OLFACTION, *Bufo boreas* (prey discrimination by odor) 63–68; *Phrynosoma* spp. (intra- and interspecific interactions) 130–141; *Crotalus viridis, C. enyo* (relationship of food deprivation and tongue flicking) 237–243.
OVIPARITY, *Sceloporus aeneus* (occurrence of oviparity and viviparity) 11–15.
PARIETAL EYE, *Phrynosoma douglassi* (effects of shielding parietal eye on thermoregulatory behavior) 199–205.
PHONOTAXIS, 4 spp. *Hyperolius* (mate recognition and location) 29–32.
PHYLOGENY, kinosternid, dermatemydid turtles 73–85; 18 spp. African *Bufo* (albumin evolution) 96–104; *Pseudoeurycea, Chiropterotriton* (albumin evolution) 109–117; *Sternotherus* spp. (electrophoresis) 161–165; *Rhinoclemmys* spp. (electrophoresis) 256–264.
PHYSIOLOGY, *Xenopus laevis* (activity metabolism) 1–10; *Callagur borneoensis* (effects of testosterone on coloration) 181–194.
POLYMORPHISM, *Rana pipiens* (relationship of color and developmental rate) 155–160.
POPULATION STRUCTURE, *Tantilla coronata* (size distributions, sex ratio) 40–46; *Polychrus acutirostris* (size distributions) 53–63.
PREDATION, *Anolis* spp. (bird predation) 104–108; *Eleutherodactylus coqui* (spider predation) 125–129; *Notophthalmus viridescens* (avoidance of skin secretions by diving beetles) 172–176; *Micrurus fulvius* (eaten by falconiform birds) 213–228; *Ambystoma opacum* (shrew predation) 234–237.
PROSTAGLANDIN E_1, *Necturus maculosus* (effects on thermal selection) 195–198.
REPRODUCTION, *Sceloporus aeneus* (occurrence of oviparity and viviparity) 11–15; *Sternotherus odoratus* (testicular cycle) 33–40; *Tantilla coronata* (size of ovarian follicles, egg deposition) 43, 45; *Polychrus acutirostris* (fat body cycling, oviposition, clutch size, egg size, testicular cycles) 53–63; *Micrurus fulvius* (ovarian and testicular cycles, oviposition, clutch size, lipid cycles) 213–228.
SCUTELLATION, 7 spp. bisexual *Cnemidophorus* (sexing on basis of postanal scutes) 244–249.
SELECTION, *Rana pipiens* (survivorship of different color morphs) 155–160; *Pelusios* (hypothetical scenario for development of plastral kinesis) 205–212; *Bufo americanus* (male mating success and body size) 228–233.
SEX IDENTIFICATION, 7 spp. bisexual *Cnemidophorus* (sexing on basis of postanal scutes) 244–249.
SHELL, *Gopherus polyphemus* (sexual dimorphism) 46–52; kinosternid, dermatemydid turtles (homology of plastral scutes) 73–85; *Callagur borneoensis* (distribution of melanin in scutes) 181–194; *Pelusios* (plastral kinesis) 205–212.
SKIN, *Callagur borneoensis* (sexual and seasonal changes in histology and color) 181–194.
SKIN SECRETIONS, *Notophthalmus viridescens* (avoidance by predaceous diving beetles) 172–176; *Ambystoma opacum* (efficacy of secretions against repeated attacks by shrews) 234–237.
SPERMATOGENESIS, *Sternotherus odoratus* (seasonal testicular cycles) 33–40; *Callagur borneoensis* (relationship between skin color and testicular activity) 181–194; *Micrurus fulvius* (testicular cycles) 213–228.
SWIM, *Xenopus laevis* (metabolism) 1–10.
SYSTEMATICS, *Batrachoseps campi* (intraspecific variation and relationship to *B. wrighti*) 16–28; kinosternid, dermatemydid turtles (homology of plastral scutes) 73–85; *Diplodactylus* (subgeneric classification) 86–92; *Dermatemys mawii* (chromosome number and banding patterns) 92–95; 18 spp. African *Bufo* (albumin evolution) 96–104; *Pseudoeurycea, Chiropterotriton* (albumin evolution) 109–117; *Sternotherus* spp. (genetic relationships) 161–165; *Rhinoclemmys* spp. (allozyme variation) 256–264.
THERMOREGULATION, *Necturus maculosus* (behavioral hyperthermia following prostaglandin injection) 195–198; *Phrynosoma douglassi* (effects of shielding the parietal eye on thermoregulatory behavior) 199–205; *Agkistrodon contortrix* (thermal ecology) 264–270.
TRAINING, *Xenopus laevis* (swimming performance improves with repeated trials) 1–10.
VIVIPARITY, *Sceloporus aeneus* (occurrence of oviparity and viviparity) 11–15.

HERPETOLOGICA

Volume 37 December 1981

TABLE OF CONTENTS

Announcements 69, 122
Annual Financial Statement 273
Articles of Incorporation and Bylaws 275
Bashinski, Howard (see Chiszar, David)
Bickham, John W. (see Carr, John L.)
Bickham, John W. (see Sites, Jack W., Jr.)
Book Review 177
Bramble, Dennis M., and J. Howard Hutchison
A Reevaluation of Plastral Kinesis in African Turtles of the Genus *Pelusios* 205
Bramble, Dennis M. (see Hutchison, J. Howard)
Brodie, Edmund D., Jr., and Daniel R. Formanowicz, Jr.
Larvae of the Predaceous Diving Beetle *Dytiscus verticalis* Acquire an Avoidance Response to Skin Secretions of the Newt *Notophthalmus viridescens* 172
Brodie, Edmund D., Jr. (see Digiovanni, Marianne)
Brown, Kent L. (see Semlitsch, Raymond D.)
Brussard, Peter F. (see Formanowicz, Daniel R., Jr.)
Caldwell, Janalee P. (see Semlitsch, Raymond D.)
Camilliere, James J. (see Miller, Kirk)
Carr, John L., John W. Bickham, and Robert H. Dean
The Karyotype and Chromosomal Banding Patterns of the Central American River Turtle *Dermatemys mawii* 92
Chiszar, David, Charles W. Radcliffe, Hobart M. Smith, and Howard Bashinski
Effect of Prolonged Food Deprivation on Response to Prey Odors by Rattlesnakes 237
Cleveland, Glenn D. (see McRae, W. Alan)
Corn, Paul Stephen
Field Evidence for a Relationship Between Color and Developmental Rate in the Northern Leopard Frog (*Rana pipiens*) 155
Dean, Robert H. (see Carr, John L.)
Demeter, Béla J., and Dale L. Marcellini
Courtship and Aggressive Behavior of the Streak Lizard (*Gonatodes vittatus*) in Captivity 250
Digiovanni, Marianne, and Edmund D. Brodie, Jr.
Efficacy of Skin Glands in Protecting the Salamander *Ambystoma opacum* from Repeated Attacks by the Shrew *Blarina brevicauda* 234
Dole, Jim W., Betty B. Rose, and Ken H. Tachiki
Western Toads (*Bufo boreas*) Learn Odor of Prey Insects 63
Erskine, Dale J. (see Hutchison, Victor H.)
Formanowicz, Daniel R., Jr., Margaret M. Stewart, Karyn Townsend, F. Harvey Pough, and Peter F. Brussard
Predation by Giant Crab Spiders on the Puerto Rican Frog *Eleutherodactylus coqui* 125
Formanowicz, Daniel R., Jr. (see Edmund D. Brode, Jr.)
Franz, Richard (see Jackson, Dale R.)
Gans, Carl
In Memoriam: Arthur Loveridge 117
Greenbaum, Ira F. (see Sites, Jack W., Jr.)
Guillette, Louis J., Jr.
On the Occurrence of Oviparous and Viviparous Forms of the Mexican Lizard *Sceloporus aeneus* 11
Harlow, Henry J. (see Phillips, John A.)

Herpetologists' League Student Awards 180, 272
Hutchison, J. Howard, and Dennis M. Bramble
Homology of the Plastral Scales of the Kinosternidae and Related Turtles 73
Hutchison, J. Howard (see Bramble, Dennis M.)
Hutchison, Victor H., and Dale J. Erskine
Thermal Selection and Prostaglandin E_1 Fever in the Salamander *Necturus maculosus* 195
Index to Scientific Names for Volume 37 280
Jackson, Dale R., and Richard Franz
Ecology of the Eastern Coral Snake (*Micrurus fulvius*) in Northern Peninsular Florida 213
Jacob, James S. (see Sanders, J. Stephen)
Krehbiel, Eugene B. (see Moll, Edward O.)
Kruse, Kipp C.
Mating Success, Fertilization Potential, and Male Body Size in the American Toad (*Bufo americanus*) 228
Lacher, Thomas E., Jr. (see Vitt, Laurie J.)
Landers, J. Larry (see McRae, W. Alan)
Lucchino, Ronald V. (see Seidel, Michael E.)
Marcellini, Dale L. (see Demeter, Béla J.)
Marion, Ken R. (see McPherson, Roger J.)
Matson, Kevin E. (see Moll, Edward O.)
Maxson, Linda R.
Albumin Evolution and Its Phylogenetic Implications in African Toads of the Genus *Bufo* 96
Maxson, Linda R., and David B. Wake
Albumin Evolution and Its Phylogenetic Implications in the Plethodontid Salamander Genera *Pseudoeurycea* and *Chiropterotriton* 109
McPherson, Roger J., and Ken R. Marion
Seasonal Testicular Cycle of the Stinkpot Turtle (*Sternotherus odoratus*) in Central Alabama 33
McRae, W. Alan, J. Larry Landers, and Glenn D. Cleveland
Sexual Dimorphism in the Gopher Tortoise (*Gopherus polyphemus*) 46
Miller, Kirk, and James J. Camilliere
Physical Training Improves Swimming Performance of the African Clawed Frog *Xenopus laevis* 1
Moll, Edward O., Kevin E. Matson, and Eugene B. Krehbiel
Sexual and Seasonal Dichromatism in the Asian River Turtle *Callagur borneoensis* 181
Nomenclatural Notices 178
Passmore, N. I.
Sound Levels of Mating Calls of Some African Frogs 166
Passmore, N. I. (see Telford, S. R.)
Phillips, John A., and Henry J. Harlow
Elevation of Upper Voluntary Temperatures After Shielding the Parietal Eye of Horned Lizards (*Phrynosoma douglassi*) 199
Pietruszka, Robert D.
Use of Scutellation for Distinguishing Sexes in Bisexual Species of *Cnemidophorus* 244
Pough, F. Harvey (see Formanowicz, Daniel R., Jr.)
Radcliffe, Charles W. (see Chiszar, David)
Reynolds, Samuel L. (see Seidel, Michael E.)
Rose, Betty B. (see Dole, Jim W.)
Rosenberg, Herbert I. (see Russell, Anthony P.)
Russell, Anthony P., and Herbert I. Rosenberg
Subgeneric Classification in the Gekkonid Genus *Diplodactylus* 86
Sanders, J. Stephen, and James S. Jacob
Thermal Ecology of the Copperhead (*Agkistrodon contortrix*) 264
Seidel, Michael E., Samuel L. Reynolds, and Ronald V. Lucchino
Phylogenetic Relationships Among Musk Turtles (Genus *Sternotherus*) and Genic Variation in *Sternotherus odoratus* 161
Semlitsch, Raymond D., Kent L. Brown, and Janalee P. Caldwell
Habitat Utilization, Seasonal Activity, and Population Size Structure of the Southeastern Crowned Snake *Tantilla coronata* 40

Sever, David M.
Cloacal Anatomy of Male Salamanders in the Families Ambystomatidae, Salamandridae, and Plethodontidae ---- 142
Sites, Jack W., Jr., Ira F. Greenbaum, and John W. Bickham
Biochemical Systematics of Neotropical Turtles of the Genus *Rhinoclemmys* (Emydidae: Batagurinae) ---- 256
Smith, Hobart M. (see Chiszar, David)
Statement of Ownership, Management and Circulation ---- 270
Stewart, Margaret M. (see Formanowicz, Daniel R., Jr.)
Summary of Business Conducted at the Annual Meeting ---- 179, 271
Tachiki, Ken H. (see Dole, Jim W.)
Telford, S. R., and N. I. Passmore
Selective Phonotaxis of Four Sympatric Species of African Reed Frogs (Genus *Hyperolius*) ---- 29
Tollestrup, Kristine
The Social Behavior and Displays of Two Species of Horned Lizards, *Phrynosoma platyrhinos* and *Phrynosoma coronatum* ---- 130
Topical Index for Volume 37 ---- 284
Townsend, Karyn (see Formanowicz, Daniel R., Jr.)
Vitt, Laurie J., and Thomas E. Lacher, Jr.
Behavior, Habitat, Diet, and Reproduction of the Iguanid Lizard *Polychrus acutirostris* in the Caatinga of Northeastern Brazil ---- 53
Wake, David B. (see Maxson, Linda R.)
Wake, David B. (see Yanev, Kay P.)
Wunderle, Joseph M., Jr.
Avian Predation Upon *Anolis* Lizards on Grenada, West Indies ---- 104
Yanev, Kay P., and David B. Wake
Genic Differentiation in a Relict Desert Salamander, *Batrachoseps campi* ---- 16